


THE ART OF SUCCESSFUL MERCHANDISE Professional information and communication with OCTANORM Display Systems







AFCTHETIC	DDECERITATION		DECICAL	DDIMCIDI	
/ F < H F		$\Lambda \sim \Lambda$		PRIMIPI	
AI 0 III IIV	PRESENTATION	$A \cup A$		1 11114 (711 1	

Attract attention at your event, shop or point of sale. OCTANORM's presentation systems are designed to adapt to your changing needs and manufactured from quality materials. Our qualified OCTANORM Partners can recommend the best system based on your objectives.

PORTABLE EXHIBIT SYSTEMS	OCTAWALL MOBIL	4 - 5	
	OCTALUMINA	6 - 7	
	OCTAQUICK EXHIBITS	8 - 9	
	OCTAQUICK ACCESSORIES	10 - 11	
POP UP SYSTEMS	VARIO D400 CURVED	12 - 13	2
BANNER SYSTEMS	VARIO D2	14 - 15	
	OCTAPOLE	16 - 17	54
COUNTERS	OCTACOUNTER		
	OCTALUMINA COUNTER	18 - 19	4
PRESENTATION RACKS	LITERATURE RANKS	00 04	
PRESENTATION RACKS	LITERATURE RACKS		
	MONITOR STANDS	20 - 21	

OCTAWALL MOBIL - FABRIC SOLUTION

Present easier, better and more efficiently! Create exhibits, free standing walls or partitions with single or edge. Frames are split for ease of transportation and storage. Incorporate OCTANORM'S magnetic system to showcase your product.



Design example: 9 x W 932, 3 x W 935, 4 x W 992, 4 x M 1498, 1 x Q 800




Corner upright W 992




Magnetic retainer system MF 15, MF 306 S, MF 150 P, MF 82




LED spotlight M 1498



W 932 Frame, split incl. 2 adjustable feet



W 934 Frame, for fixing base plates



W 992 Corner upright, split incl. 1 adjustable foot



W 935 Frame, for fascia

This is only a small sample of available OCTAwall mobile articles. The full range of products including our magnet retainer system can be found in our OCTAWALL mobile brochure AW 7945.

ACCESSORIES



M 951 Hex-star T30



M 1498 LED spotlight 12 W / 230 V / 400 K



W 1000 Distance piece for packaging



W 925 Transport bag for 3 frames W 930 or W 932 and 4 corner extrusions W 992, nylon, blue



Transport bag for 2 base plates M 1951, M 1953 or M 1961, nylon, blue



MF 80 Steel plate



MF 82 Steel plate



MF 1 Mounting handle



M 1951 Base plate, steel side, 600 x 250 mm



M 1953

Base plate, steel

center, 600 x 250 mm

720

300-300

132.5

MF 15 Magnetic retainer



M 1961 Half base plate, steel side, 320 x 250 mm




Half base plate, steel center, 320 x 250 mm

MF 306 S Bracket, straight steel, chrome-plated


MF 150 P Wood shelf ed white, 8 mm

TECHNICAL INFORMATION



DOUBLE FUNCTION OF BEAM Z 308:

- 1. transport securing device for split frames
- 2. for holding steel panel MF 80 (or MF 82) of the OCTANORM magnetic fixing system



SIZES OF PRINTED PANEL:

Frame: W 950 x H 2480 mm

Frame for fascia: W 950 x H 280 mm

OCTALUMINA - SET HIGHLIGHTS

OCTALUMINA stands for absolutely shadowfree illumination and excellence that will make your company shine. Our high-quality components made from anodized aluminium are dimensionally stable, long-lived, and aesthetically pleasing. Lateral feed-in or backlighting with Power LEDs ensure a homogeneous illumination and long operating times at low power consumption. Freestanding with base plates, wall mounted or suspended from the ceiling; room in room, counter, cabin, or corner solutions; single or double-sided illumination: no problem.



Design example: OL 1230






incl. transportation bag






OCTAlumina 40 frames OL 415


6




OL 415Frame 40 mm, single-sided illuminated, incl. 2 adjustable feet, 2 m cable and plug, without graphics




OL 1210 Frame 120 mm, double-sided illuminated, incl. 2 base plates, 2 m cable and plug, without graphics




OL 1220 Frame 120 mm, double-sided illuminated,incl. 2 base plates, 2 m cable and plug, without graphics




OL 1230
Frame 120 mm, double-sided illuminated, incl. 2 base plates, 2 m cable and plug, without graphics



OL 1240
Frame 120 mm, double-sided illuminated, incl. 3 base plates, 2 m cable and plug, without graphics



OL 1202 Frame split 120 mm, toolless, double-sided illuminated, incl. 2 base plates, transportation bag, 2 m cable and plug, without graphics



OL 400
Frame 40 mm, single-sided illuminated size: DIN A0 incl. 2 m cable and plug, power supply unit integrated, without graphics



OL 401 Frame 40 mm, single-sided illuminated size: DIN A1 incl. 2 m cable and plug, power suply unit integrated, without graphics



OL T50
Bar table,
with 4 illuminated sides,
incl. 2 m cable and plug,
without graphics

OCTAQUICK EXHIBITS

Participating in exhibitions requires an investment of time and money. OCTAquick has been designed to help you achieve maximum benefits with minimal commitment to the time and cost required to build and dismantle your exhibit. OCTAquick's portable exhibition system can be assembled in minutes by unskilled personnel and can be transported in an estate car or courier. The system comprises four basic modules for the construction of displays that range from a simple panel wall to a medium sized exhibit complete with lights. With OCTAquick's high quality components and stylish design, your do-it-yourself exhibit will have a professional appearance that offers impact and effectiveness.





Suspending the fabric panel



Height-adjustable foot




Easy cable routing

OCTAQUICK 3x3

OCTAQUICK 3x2


OCTAQUICK 3x1

WALL




Q 40

Construction set incl. transport cases Q 501. Q 502 and lighting 230 V weight: 176.37 lbs / 80.0 kg




Q 30

Construction set incl. 2 transport cases Q 502 and lighting 230 V weight: 147.71 lbs / 67.0 kg




Q 20

Construction set incl. 2 transport cases Q 502 and lighting 230 V weight: 120.15 lbs / 54.5 kg




Q 10

Construction set incl.cardboard box and lighting 230 V weight: 70.55 lbs / 32.0 kg




0 41

Wall infill panel set "fabric", white, with inserted mounting profile weight: 23.35 lbs / 11.5 kg




Q 31

Wall infill panel set "fabric", white, with inserted mounting profile weight: 19.84 lbs / 9.0 kg




Q 21

Wall infill panel set "fabric", white, with inserted mounting profile weight: 11.24 lbs / 5.1 kg




Q 11

Wall infill panel set "fabric", white, with inserted mounting profile weight: 8.38 lbs / 3.8 kg




0 42

Wall infill panel set, white, 3.2 mm, incl. 9 beams and transport case Q 503 weight: 178.57 lbs / 81.0 kg




Q 32

Wall infill panel set, white, 3.2 mm, incl. 7 beams and wooden case weight: 119.05 lbs / 54.0 kg



Q 22

Wall infill panel set, white, 3.2 mm, incl. 5 beams and wooden case weight: 85.98 lbs / 39.0 kg



Q 12

Wall infill panel set, white, 3.2 mm, incl. 3 beams and wooden case weight: 52.91 lbs / 24.0 kg

For extension modules, accessories and technical information see page 11.

OCTAQUICK ACCESSORIES
Optional accessories help maximize the branding of the company, its products and services. Exhibiting has never been so easy or cost effective.





Sturdy transport cases




Hex-star driver




Shelf set Q 80


ACCESSORIES



Q 501 Transport case for beams and accessories included in the corresponding sets



Q 502 Transport case for uprights and accessories included in the corresponding sets



Q 503 Transport case for 3.2 mm wood wall panels and accessories included in wall infill panel set Q 42



Q 504Transport box with handle and castors, plastic / aluminium



Q 70 Fascia set wood, 10 mm, white



Q 80 Shelf set



Q 81 Literature holder set



Q 321 Turning door, DIN left aluminium/wood infill, white, 4 mm, lockable, unmounted set



M 1498 Long arm spotlight LED, 12 W / 230 V



Q 99 Assembly tool set incl. in all construction sets




Q 316 Protecting profile for 3.2 mm thick panels incl. in wall infill panel sets "wood"




Q 326 Inserted mounting profile for fabric infill panels incl. in wall infill panel sets "fabric"

TECHNICAL INFORMATION

Wall infill: fabric



Wall infill: panel



horizontal section

VARIO d400 CURVED

The aluminium side extrusions allow for endless possibilities to customize and expand your display. Create your individual presentation in next to no time by adding literature holders, display shelves and monitors. Vario d400 is a wonderful display for your advertising and P.O.S. presence as well as for merchandise presentation. Transport cases and lighting are included in the sets.



Design example: VA 5833 P1, VA 1240, VA 1213, E 275, E 185 (without monitor)




d400 package in transport case VA 8056




Display shelf VA 1214




Brochure shelf VA 1240




VA 5813 P1 for 1 panel aluminium side extrusions, silver anodized, incl. 1 spot



VA 5823 P1 for 2 panels aluminium side extrusions, silver anodized, incl. 1 spot



VA 5833 P1 for 3 panels aluminium side extrusions, silver anodized, incl. 2 spots




VA 5843 P1 for 4 panels aluminium side extrusions, silver anodized, incl. 2 spots

All systems are supplied excluding graphic panels. Package solution includes structure, spotlights and transport case. For other set ups please contact your local OCTANORM display partner.


ACCESSORIES



VA 1213 Display shelf white



VA 1214 Display shelf white




VA 1216 Display shelf white



VA 1217 Display shelf white



E 275 Bag holder



VA 8069 Counter top for transport case VA 8056, white, foldable





VA 8056 transport case



M 1498 Long arm spotlight LED, 12 W / 230 V




VA 1240 Brochure shelf universal




VA 5035 Magnetic strip self-adhesive, 30 m

TECHNICAL INFORMATION

foldable






Package solution includes hangers and hooks for inside panels only, for outside panels additional components are needed.


VARIO d2 FABRIC DISPLAY

Attract attention with your message on these units. The beams just slide into the pocket at the top and bottom of your graphic and are attached to the uprights. Tension the fabric and adjust the height by adjusting the beams. Simple, easy and impressive!






14




M 1350
Banner set, straight, 2 uprights,
80 mm dia., h=2010 mm, 2 beams
1600 mm long, incl. base plate and cone

Supplied without panels, inside dimensions correspond to banner size. Special versions on request.

ACCESSORIES









M 1239 Base plate silver-grey

M 1438 Cone, wood, silver

TECHNICAL INFORMATION





OCTAPOLE BANNER SYSTEM

An easy and effective way to present big impact graphics. This tool free banner system is available in a straight and curved version. The telescopic upright allows easy height adjustment.



Design example: OP 200, 2 x M 1498



Easy to mount without tools




Continuously height adjustable




Telescopic upright

16



OP 10


Banner set straight 1 telescopic upright and 2 beam extrusions 1240 mm long, incl. 1 base plate




OP 20

Banner set curved concave 1 telescopic upright and 2 beam extrusions 1240 mm long, incl. 1 base plate





Banner set straight 2 telescopic uprights and 4 beam extrusions 1240 mm long, incl. 2 base plates



OP 200

1600-2500

aluminium


M 1356

Aluminium 5000 mm

Banner set curved concave 2 telescopic uprights and 4 beam extrusions 1240 mm long, incl. 2 base plates

Supplied without graphic panels. Special dimensions on request.







Beam (M 1356) OP 181 beam straight OP 183 beam curved concave



Beam connector

OP 180 connector straight, 60 mm

OP 172 connector straight, 120 mm

OP 174 connector curved, 120 mm

OP 176 connector curved concave, 120 mm



OP 158/N Adaptor top with fixing screw 70 mm



OP 160/N Adaptor bottom with fixing screw 60 mm



OP 155 Base plate, steel, silver powder-coated



M 1498 Long arm spotlight LED 12 W / 230 V



OP 165 Angle connector 90° zinc-plated, with

2 knurled-screws



OP 191 Transport case for all sets





M 1365/KS End cap plastic for M 1356



M 1365/K End cap plastic for M 1356

TECHNICAL INFORMATION





OCTACOUNTER AND OCTALUMINA COUNTER

The sturdy, robust OCTAcounter is assembled easily and without tools. Graphics and a privacy screen are easily added and the optional doors are lockable. Units can be connected for larger reception counters. The OCTAcounter fabric simply unfolds. Drop in the shelves and counter top, and you are ready for your presentation. The OCTALUMINA Counter captivates with its illuminated front: the OCTALUMINA 80 frame is the perfect eye-catcher. The LED modules and power supply unit are pre-assembled and the side panels fold in. Simple, easy and powerful!




Design example: Q 400.31 and OL C500




Q 400.31 with counter top extension Q 420.31 $\,$

BASIC MODULES + ACCESSORIES Q 400




Q 400.31 Basic set. silver-grey **RAL 9006**






Q 420.31

Counter top extension perforated wood / aluminium panel




Q 510 Transport case


for 1 basic module Q 400




Q 411.31 Door set silver-arev **RAL 9006**



Q 412.31 Connection set silver-grey RAL 9006



Q 412.30 Connection set white



Q 511/N

Transport bag with castors for 1 basic module Q 400 and 1 door set Q 411, grey

TECHNICAL INFORMATION

Q 411.30

Door set

white

ADDITIONAL INFORMATION Q 400:

aluminium, E6/EV 1 silver anodized Extrusions:

Counter top: wood, 16 mm Side panels: wood, 16 mm


Drawer panels: wood, 16 mm (below and center)

Front panel: wood, 3.2 mm


Feet: adjustable (approx. 10 mm) Door set: 2 wooden double door, tool-free

assembly, lockable, 2 keys


Special finishes upon request.



2 basic sets 1 connection set




BASIC MODULES + ACCESSORIES OL C 500



OCTALUMINA OL C500 OCTALUMINA Counter basic set incl. door set

OCTALUMINA OL C505 OCTALUMINA Counter basic set without door set



OL C580 Door set **OCTALUMINA** Counter

ADDITIONAL INFORMATION OL C500:

Measurements for prints OL C500: 1000 mm × 1129 mm

LITERATURE RACKS

Quality, durable literature racks allow you to present your brochures in style. Freestanding and wall mounted versions are ideal for showcasing your literature at events, lobbies or shops.





MONITOR PRESENTATIONS


Present your digital media with our solutions for monitors from 36 - 52". Accessories for literature and graphics complete the range for added value.




Design example: P-ZZ6, P-3, P-1 and P-2, VA 5524 with screen

PRESENTATION RACKS AND MONITOR STANDS

MOBILE LITERATURE RACKS



P-6 6 acrylic shelves with castors




P-12 12 acrylic shelves with castors


LITERATURE RACKS




P-1 1 acrylic shelf




P-2 2 acrylic shelves



P-3 3 acrylic shelves




P-4W 4 acrylic shelves for wall mounting




P-ZZ6 6 acrylic shelves

MONITOR ADAPTOR




E 185 Monitor adaptor



E 184 Monitor adaptor for OCTAwall mobil 40 fabric




E 186 Monitor adaptor



E 187 Monitor adaptor for OCTAwall 60 fabric

MONITOR STANDS



VA 5524 Monitor stand set, without transport case

TECHNICAL INFORMATION

